



MOVE FORWARD. ALWAYS.™

**GUIDE D'IDENTIFICATION
ET DIMENSIONS DES
COURROIES INDUSTRIELLES**

2019



www.daycoaftermarket.com

COURROIES UTILITAIRES GPL PREMIUM

No pièce Dayco	Circonférence externe	Numéro métrique
L315	15.00	9RL380
L316	16.00	9RL405
L317	17.00	9RL430
L318	18.00	9RL455
L319	19.00	9RL485
L320	20.00	9RL510
L321	21.00	9RL535
L322	22.00	9RL560
L323	23.00	9RL585
L324	24.00	9RL610
L325	25.00	9RL635
L326	26.00	9RL660
L327	27.00	9RL685
L328	28.00	9RL710
L329	29.00	9RL735
L330	30.00	9RL760
L331	31.00	9RL785
L332	32.00	9RL815
L333	33.00	9RL840
L334	34.00	9RL865
L335	35.00	9RL890
L336	36.00	9RL915
L337	37.00	9RL940
L338	38.00	9RL965
L339	39.00	9RL990
L340	40.00	9RL1015
L341	41.00	9RL1040
L342	42.00	9RL1065
L343	43.00	9RL1090
L344	44.00	9RL1120
L345	45.00	9RL1145
L346	46.00	9RL1170
L347	47.00	9RL1195
L348	48.00	9RL1220
L349	49.00	9RL1245
L350	50.00	9RL1270
L351	51.00	9RL1295
L352	52.00	9RL1320
L353	53.00	9RL1345

No pièce Dayco	Circonférence externe	Numéro métrique
L354	54.00	9RL1370
L355	55.00	9RL1395
L356	56.00	9RL1420
L357	57.00	9RL1450
L358	58.00	9RL1475
L359	59.00	9RL1500
L360	60.00	9RL1525
L361	61.00	9RL1550
L362	62.00	9RL1575
L363	63.00	9RL1600
L365	65.00	9RL1651
L366	66.00	9RL1676
L369	69.00	9RL1755
L371	71.00	9RL1805
L374	74.00	9RL1880
L375	75.00	9RL1905
L417	17.00	13RL430
L418	18.00	13RL455
L419	19.00	13RL485
L420	20.00	13RL510
L421	21.00	13RL535
L422	22.00	13RL560
L423	23.00	13RL585
L424	24.00	13RL610
L425	25.00	13RL635
L426	26.00	13RL660
L427	27.00	13RL685
L428	28.00	13RL710
L429	29.00	13RL735
L430	30.00	13RL760
L431	31.00	13RL785
L432	32.00	13RL815
L433	33.00	13RL840
L434	34.00	13RL865
L435	35.00	13RL890
L436	36.00	13RL915
L437	37.00	13RL940
L438	38.00	13RL965
L439	39.00	13RL990

COURROIES UTILITAIRES GPL PREMIUM

No pièce Dayco	Circonférence externe	Numéro métrique
L440	40.00	13RL1015
L441	41.00	13RL1040
L442	42.00	13RL1065
L443	43.00	13RL1090
L444	44.00	13RL1120
L445	45.00	13RL1145
L446	46.00	13RL1170
L447	47.00	13RL1195
L448	48.00	13RL1220
L449	49.00	13RL1245
L450	50.00	13RL1270
L451	51.00	13RL1295
L452	52.00	13RL1320
L453	53.00	13RL1345
L454	54.00	13RL1370
L455	55.00	13RL1395
L456	56.00	13RL1420
L457	57.00	13RL1450
L458	58.00	13RL1475
L459	59.00	13RL1500
L460	60.00	13RL1525
L461	61.00	13RL1550
L462	62.00	13RL1575
L463	63.00	13RL1600
L464	64.00	13RL1625
L465	65.00	13RL1650
L466	66.00	13RL1675
L467	67.00	13RL1700
L468	68.00	13RL1725
L469	69.00	13RL1755
L470	70.00	13RL1780
L471	71.00	13RL1805
L472	72.00	13RL1830
L473	73.00	13RL1855
L474	74.00	13RL1880
L475	75.00	13RL1905
L476	76.00	13RL1930
L477	77.00	13RL1955
L478	78.00	13RL1980

No pièce Dayco	Circonférence externe	Numéro métrique
L479	79.00	13RL2010
L480	80.00	13RL2030
L481	81.00	13RL2060
L482	82.00	13RL2080
L483	83.00	13RL2110
L484	84.00	13RL2130
L485	85.00	13RL2160
L486	86.00	13RL2180
L487	87.00	13RL2210
L488	88.00	13RL2240
L489	89.00	13RL2260
L490	90.00	13RL2290
L491	91.00	13RL2310
L492	92.00	13RL2340
L493	93.00	13RL2360
L494	94.00	13RL2390
L495	95.00	13RL2410
L496	96.00	13RL2440
L497	97.00	13RL2460
L498	98.00	13RL2490
L499	99.00	13RL2510
L4100	100.00	13RL2540
L4101	101.00	13RL2565
L4102	102.00	13RL2590
L4103	103.00	13RL2615
L4105	105.00	13RL2665
L4107	107.00	13RL2720
L4109	109.00	13RL2770
L4112	112.00	13RL2845
L4114	114.00	13RL2895
L4117	117.00	13RL2970
L4118	118.00	13RL3000
L4134	134.00	13RL3405
L4138	138.00	13RL3505
L523	23.00	16RL585
L524	24.00	16RL610
L525	25.00	16RL635

COURROIES UTILITAIRES GPL PREMIUM

No pièce Dayco	Circonférence externe	Numéro métrique
L526	26.00	16RL660
L527	27.00	16RL685
L528	28.00	16RL710
L529	29.00	16RL735
L530	30.00	16RL760
L531	31.00	16RL785
L532	32.00	16RL815
L533	33.00	16RL840
L534	34.00	16RL865
L535	35.00	16RL890
L536	36.00	16RL915
L537	37.00	16RL940
L538	38.00	16RL965
L539	39.00	16RL990
L540	40.00	6RL1015
L541	41.00	6RL1040
L542	42.00	6RL1065
L543	43.00	6RL1090
L544	44.00	6RL1120
L545	45.00	6RL1145
L546	46.00	6RL1170
L547	47.00	6RL1195
L548	48.00	6RL1220
L549	49.00	6RL1245
L550	50.00	6RL1270
L551	51.00	6RL1295
L552	52.00	6RL1320
L553	53.00	6RL1345
L554	54.00	6RL1370
L555	55.00	6RL1395
L556	56.00	6RL1420
L557	57.00	6RL1450
L558	58.00	6RL1475
L559	59.00	6RL1500
L560	60.00	6RL1525
L561	61.00	6RL1550
L562	62.00	6RL1575
L563	63.00	6RL1600
L564	64.00	6RL1625

No pièce Dayco	Circonférence externe	Numéro métrique
L565	65.00	6RL1650
L566	66.00	6RL1675
L567	67.00	6RL1700
L568	68.00	6RL1725
L569	69.00	6RL1755
L570	70.00	6RL1780
L571	71.00	6RL1805
L572	72.00	6RL1830
L573	73.00	6RL1855
L574	74.00	6RL1880
L575	75.00	6RL1905
L576	76.00	6RL1930
L577	77.00	6RL1955
L578	78.00	6RL1980
L579	79.00	6RL2010
L580	80.00	6RL2030
L581	81.00	6RL2060
L582	82.00	6RL2080
L583	83.00	6RL2110
L584	84.00	6RL2130
L585	85.00	6RL2160
L586	86.00	6RL2180
L587	87.00	6RL2210
L588	88.00	6RL2240
L589	89.00	6RL2260
L590	90.00	6RL2290
L591	91.00	6RL2310
L592	92.00	6RL2340
L593	93.00	6RL2360
L594	94.00	6RL2390
L595	95.00	6RL2410
L596	96.00	6RL2440
L597	97.00	6RL2460
L598	98.00	6RL2490
L599	99.00	6RL2510
L5100	100.00	6RL2540
L5101	101.00	6RL2565
L5102	102.00	6RL2590
L5104	104.00	6RL2640

COURROIES UTILITAIRES GPL PREMIUM

No pièce Dayco	Circonférence externe	Numéro métrique
L5106	106.00	6RL2695
L5109	109.00	6RL2770
L5111	111.00	6RL2820
L5113	113.00	6RL2870
L5117	117.00	6RL2970
L5118	118.00	6RL2995
L5120	120.00	6RL3050
L5126	126.00	6RL3200
L5134	134.00	6RL3405
L5138	138.00	6RL3505
L5140	140.00	6RL3555
L5143	143.00	6RL3630
L5148	148.00	6RL3760
L5152	152.00	6RL3860
L5163	163.00	6RL4140

COURROIES UTILITAIRES FHP

No pièce Dayco	Circonférence externe	Numéro métrique
3L150	15.00	9R380
3L160	16.00	9R405
3L170	17.00	9R430
3L180	18.00	9R455
3L190	19.00	9R485
3L200	20.00	9R510
3L210	21.00	9R535
3L220	22.00	9R560
3L230	23.00	9R585
3L240	24.00	9R610
3L250	25.00	9R635
3L260	26.00	9R660
3L270	27.00	9R685
3L280	28.00	9R710
3L290	29.00	9R735
3L300	30.00	9R760
3L310	31.00	9R785
3L320	32.00	9R815
3L330	33.00	9R840

No pièce Dayco	Circonférence externe	Numéro métrique
3L340	34.00	9R865
3L350	35.00	9R890
3L360	36.00	9R915
3L370	37.00	9R940
3L380	38.00	9R965
3L390	39.00	9R990
3L400	40.00	9R1015
3L410	41.00	9R1040
3L420	42.00	9R1065
3L430	43.00	9R1090
3L440	44.00	9R1120
3L450	45.00	9R1145
3L460	46.00	9R1170
3L470	47.00	9R1195
3L480	48.00	9R1220
3L490	49.00	9R1245
3L500	50.00	9R1270

COURROIES UTILITAIRES FHP

No pièce Dayco	Circonférence externe	Numéro métrique
3L510	51.00	9R1295
3L520	52.00	9R1320
3L530	53.00	9R1345
3L540	54.00	9R1370
3L550	55.00	9R1395
3L560	56.00	9R1420
3L570	57.00	9R1450
3L580	58.00	9R1475
3L590	59.00	9R1500
3L600	60.00	9R1525
3L610	61.00	9R1550
3L620	62.00	9R1575
3L630	63.00	9R1600
3L690	69.00	9R1755
3L710	71.00	9R1805
3L740	74.00	9R1880
3L750	75.00	9R1905
3L770	77.00	9R1956
4L160	16.00	13R405
4L170	17.00	13R430
4L180	18.00	13R455
4L190	19.00	13R485
4L200	20.00	13R510
4L210	21.00	13R535
4L220	22.00	13R560
4L230	23.00	13R585
4L240	24.00	13R610
4L250	25.00	13R635
4L260	26.00	13R660
4L270	27.00	13R685
4L280	28.00	13R710
4L290	29.00	13R735
4L300	30.00	13R760
4L310	31.00	13R785
4L320	32.00	13R815
4L330	33.00	13R840
4L340	34.00	13R865
4L350	35.00	13R890
4L360	36.00	13R915

No pièce Dayco	Circonférence externe	Numéro métrique
4L370	37.00	13R940
4L380	38.00	13R965
4L390	39.00	13R990
4L400	40.00	13R1015
4L410	41.00	13R1040
4L420	42.00	13R1065
4L430	43.00	13R1090
4L440	44.00	13R1120
4L450	45.00	13R1145
4L460	46.00	13R1170
4L470	47.00	13R1195
4L480	48.00	13R1220
4L490	49.00	13R1245
4L500	50.00	13R1270
4L510	51.00	13R1295
4L520	52.00	13R1320
4L530	53.00	13R1345
4L540	54.00	13R1370
4L550	55.00	13R1395
4L560	56.00	13R1420
4L570	57.00	13R1450
4L580	58.00	13R1475
4L590	59.00	13R1500
4L600	60.00	13R1525
4L610	61.00	13R1550
4L620	62.00	13R1575
4L630	63.00	13R1600
4L640	64.00	13R1625
4L650	65.00	13R1650
4L660	66.00	13R1675
4L670	67.00	13R1700
4L680	68.00	13R1725
4L690	69.00	13R1755
4L700	70.00	13R1780
4L710	71.00	13R1805
4L720	72.00	13R1830
4L730	73.00	13R1855
4L740	74.00	13R1880
4L750	75.00	13R1905

COURROIES UTILITAIRES FHP

No pièce Dayco	Circonférence externe	Numéro métrique
4L760	76.00	13R1930
4L770	77.00	13R1955
4L780	78.00	13R1980
4L790	79.00	13R2010
4L800	80.00	13R2030
4L810	81.00	13R2060
4L820	82.00	13R2080
4L830	83.00	13R2110
4L840	84.00	13R2130
4L850	85.00	13R2160
4L860	86.00	13R2185
4L870	87.00	13R2210
4L880	88.00	13R2235
4L890	89.00	13R2260
4L900	90.00	13R2285
4L910	91.00	13R2310
4L920	92.00	13R2335
4L930	93.00	13R2360
4L940	94.00	13R2390
4L950	95.00	13R2415
4L960	96.00	13R2440
4L970	97.00	13R2465
4L980	98.00	13R2490
4L990	99.00	13R2515
4L1000	100.00	13R2540
5L230	23.00	16R585
5L240	24.00	16R610
5L250	25.00	16R635
5L260	26.00	16R660
5L270	27.00	16R685
5L280	28.00	16R710
5L290	29.00	16R735
5L300	30.00	16R760
5L310	31.00	16R785
5L320	32.00	16R815
5L330	33.00	16R840
5L340	34.00	16R865
5L350	35.00	16R890
5L360	36.00	16R915

No pièce Dayco	Circonférence externe	Numéro métrique
5L370	37.00	16R940
5L380	38.00	16R965
5L390	39.00	16R990
5L400	40.00	16R1015
5L410	41.00	16R1040
5L420	42.00	16R1065
5L430	43.00	16R1090
5L440	44.00	16R1120
5L450	45.00	16R1145
5L460	46.00	16R1170
5L470	47.00	16R1195
5L480	48.00	16R1220
5L490	49.00	16R1245
5L500	50.00	16R1270
5L510	51.00	16R1295
5L520	52.00	16R1320
5L530	53.00	16R1345
5L540	54.00	16R1370
5L550	55.00	16R1395
5L560	56.00	16R1420
5L570	57.00	16R1450
5L580	58.00	16R1475
5L590	59.00	16R1500
5L600	60.00	16R1525
5L610	61.00	16R1550
5L620	62.00	16R1575
5L630	63.00	16R1600
5L640	64.00	16R1625
5L650	65.00	16R1650
5L660	66.00	16R1675
5L670	67.00	16R1700
5L680	68.00	16R1725
5L690	69.00	16R1755
5L700	70.00	16R1780
5L710	71.00	16R1805
5L720	72.00	16R1830
5L730	73.00	16R1855

COURROIES UTILITAIRES FHP

No pièce Dayco	Circonférence externe	Numéro métrique
5L740	74.00	16R1880
5L750	75.00	16R1905
5L760	76.00	16R1930
5L770	77.00	16R1955
5L780	78.00	16R1980
5L790	79.00	16R2010
5L800	80.00	16R2030
5L810	81.00	16R2060
5L820	82.00	16R2080
5L830	83.00	16R2110
5L840	84.00	16R2130
5L850	85.00	16R2160
5L860	86.00	16R2185
5L870	87.00	16R2210
5L880	88.00	16R2235
5L890	89.00	16R2260
5L900	90.00	16R2285
5L910	91.00	16R2310
5L920	92.00	16R2335
5L930	93.00	16R2360
5L940	94.00	16R2390
5L950	95.00	16R2415
5L960	96.00	16R2440
5L970	97.00	16R2465
5L980	98.00	16R2490
5L990	99.00	16R2515
5L1000	100.00	16R2540

COURROIES UTILITAIRES FHP SPÉCIALES

No pièce Dayco	Circonférence externe	Numéro métrique
9X442	44-7/16"	19/32"
9X532	53-5/32"	19/32"

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
AP21	23.00	13C585
AP22	24.00	13C610
AP23	25.00	13C635
AP24	26.00	13C665
AP25	27.00	13C690
AP26	28.00	13C710
AP27	29.00	13C750
AP28	30.00	13C765
AP29	31.00	13C788
AP30	32.00	13C815
AP31	33.00	13C850
AP32	34.00	13C865
AP33	35.00	13C900
AP34	36.00	13C915
AP35	37.00	13C950
AP36	38.00	13C965
AP37	39.00	13C1000
AP38	40.00	13C1020
AP39	41.00	13C1045
AP40	42.00	13C1075
AP41	43.00	13C1095
AP42	44.00	13C1120
AP43	45.00	13C1150
AP44	46.00	13C1170
AP45	47.00	13C1195
AP46	48.00	13C1230
AP47	49.00	13C1245
AP48	50.00	13C1270
AP49	51.00	13C1295
AP50	52.00	13C1325
AP51	53.00	13C1350
AP52	54.00	13C1372
AP53	55.00	13C1400
AP54	56.00	13C1423
AP55	57.00	13C1448
AP56	58.00	13C1474
AP57	59.00	13C1500
AP58	60.00	13C1524
AP59	61.00	13C1550

No pièce Dayco	Circonférence externe	Numéro métrique
AP60	62.00	13C1585
AP61	63.00	13C1600
AP62	64.00	13C1625
AP63	65.00	13C1651
AP64	66.00	13C1677
AP65	67.00	13C1702
AP66	68.00	13C1728
AP67	69.00	13C1753
AP68	70.00	13C1778
AP69	71.00	13C1804
AP70	72.00	13C1830
AP71	73.00	13C1855
AP72	74.00	13C1880
AP73	75.00	13C1905
AP74	76.00	13C1935
AP75	77.00	13C1956
AP76	78.00	13C1982
AP77	79.00	13C2007
AP78	80.00	13C2030
AP79	81.00	13C2058
AP80	82.00	13C2080
AP81	83.00	13C2120
AP82	84.00	13C2134
AP83	85.00	13C2160
AP84	86.00	13C2185
AP85	87.00	13C2210
AP86	88.00	13C2240
AP87	89.00	13C2260
AP88	90.00	13C2286
AP89	91.00	13C2312
AP90	92.00	13C2337
AP91	93.00	13C2360
AP92	94.00	13C2390
AP93	95.00	13C2420
AP94	96.00	13C2439
AP95	97.00	13C2464
AP96	98.00	13C2500

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
AP97	99.00	13C2515
AP98	100.00	13C2540
AP99	101.00	13C2565
AP100	102.00	13C2591
AP101	103.00	13C2565
AP102	104.00	13C2642
AP103	105.00	13C2670
AP105	107.00	13C2718
AP106	108.00	13C2743
AP107	109.00	13C2770
AP108	110.00	13C2795
AP110	112.00	13C2850
AP112	114.00	13C2910
AP113	115.00	13C2920
AP114	116.00	13C2945
AP115	117.00	13C2970
AP116	118.00	13C3000
AP117	119.00	13C3025
AP118	120.00	13C3050
AP120	122.00	13C3110
AP124	126.00	13C3200
AP127	129.00	13C3280
AP128	130.00	13C3310
AP130	132.00	13C3355
AP132	134.00	13C3405
AP133	135.00	13C3430
AP136	138.00	13C3510
AP137	139.00	13C3530
AP140	142.00	13C3610
AP144	146.00	13C3710
AP148	150.00	13C3810
AP152	154.00	13C3915
AP156	158.00	13C3915
AP158	160.00	13C4070
AP173	175.00	13C4450
AP180	182.00	13C4620
BP25	28.00	16C710
BP26	29.00	16C735
BP27	30.00	16C765

No pièce Dayco	Circonférence externe	Numéro métrique
BP28	31.00	16C788
BP29	32.00	16C800
BP30	33.00	16C815
BP31	34.00	16C850
BP32	35.00	16C885
BP33	36.00	16C900
BP34	37.00	16C935
BP35	38.00	16C960
BP36	39.00	16C990
BP37	40.00	16C1000
BP38	41.00	16C1040
BP39	42.00	16C1045
BP40	43.00	16C1090
BP41	44.00	16C1120
BP42	45.00	16C1140
BP43	46.00	16C1165
BP44	47.00	16C1190
BP45	48.00	16C1215
BP46	49.00	16C1250
BP47	50.00	16C1270
BP48	51.00	16C1295
BP49	52.00	16C1320
BP50	53.00	16C1345
BP51	54.00	16C1372
BP52	55.00	16C1400
BP53	56.00	16C1423
BP54	57.00	16C1448
BP55	58.00	16C1474
BP56	59.00	16C1500
BP57	60.00	16C1524
BP58	61.00	16C1545
BP59	62.00	16C1570
BP60	63.00	16C1600
BP61	64.00	16C1625
BP62	65.00	16C1651
BP63	66.00	16C1677
BP64	67.00	16C1702
BP65	68.00	16C1728
BP66	69.00	16C1753

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
BP67	70.00	16C1778
BP68	71.00	16C1804
BP69	72.00	16C1825
BP70	73.00	16C1855
BP71	74.00	16C1880
BP72	75.00	16C1905
BP73	76.00	16C1930
BP74	77.00	16C1956
BP75	78.00	16C1982
BP76	79.00	16C2007
BP77	80.00	16C2030
BP78	81.00	16C2058
BP79	82.00	16C2080
BP80	83.00	16C2110
BP81	84.00	16C2134
BP82	85.00	16C2160
BP83	86.00	16C2185
BP84	87.00	16C2210
BP85	88.00	16C2240
BP86	89.00	16C2260
BP87	90.00	16C2286
BP88	91.00	16C2312
BP89	92.00	16C2337
BP90	93.00	16C2360
BP91	94.00	16C2390
BP92	95.00	16C2410
BP93	96.00	16C2439
BP94	97.00	16C2464
BP95	98.00	16C2500
BP96	99.00	16C2515
BP97	100.00	16C2540
BP98	101.00	16C2565
BP99	102.00	16C2591
BP100	103.00	16C2616
BP101	104.00	16C2640
BP102	105.00	16C2670
BP103	106.00	16C2693
BP104	107.00	16C2718
BP105	108.00	16C2740

No pièce Dayco	Circonférence externe	Numéro métrique
BP106	109.00	16C2770
BP107	110.00	16C2795
BP108	111.00	16C2820
BP109	112.00	16C2845
BP110	113.00	16C2870
BP111	114.00	16C2895
BP112	115.00	16C2920
BP113	116.00	16C2950
BP114	117.00	16C2970
BP115	118.00	16C3000
BP116	119.00	16C3020
BP117	120.00	16C3050
BP118	121.00	16C3070
BP120	123.00	16C3130
BP122	125.00	16C3175
BP123	126.00	16C3200
BP124	127.00	16C3220
BP125	128.00	16C3250
BP126	129.00	16C3270
BP127	130.00	16C3300
BP128	131.00	16C3330
BP130	133.00	16C3380
BP131	134.00	16C3405
BP132	135.00	16C3430
BP133	136.00	16C3450
BP134	137.00	16C3480
BP135	138.00	16C3505
BP136	139.00	16C3530
BP137	140.00	16C3556
BP138	141.00	16C3580
BP139	142.00	16C3610
BP140	143.00	16C3630
BP141	144.00	16C3660
BP142	145.00	16C3685
BP144	147.00	16C3740
BP145	148.00	16C3760
BP146	149.00	16C3785

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
BP147	150.00	16C3810
BP148	151.00	16C3830
BP149	152.00	16C3860
BP150	153.00	16C3880
BP151	154.00	16C3915
BP152	155.00	16C3940
BP153	156.00	16C3965
BP154	157.00	16C3990
BP156	159.00	16C4040
BP157	160.00	16C4065
BP158	161.00	16C4090
BP160	163.00	16C4140
BP162	165.00	16C4200
BP163	166.00	16C4216
BP165	168.00	16C4270
BP166	169.00	16C4295
BP168	171.00	16C4345
BP170	173.00	16C4395
BP172	175.00	16C4445
BP173	176.00	16C4470
BP175	178.00	16C4520
BP177	180.00	16C4575
BP180	183.00	16C4650
BP182	185.00	16C4700
BP184	187.00	16C4750
BP188	191.00	16C4850
BP190	193.00	16C4905
BP191	194.00	16C4930
BP192	195.00	16C4955
BP195	198.00	16C5030
BP197	200.00	16C5080
BP199	202.00	16C5135
BP205	208.00	16C5285
BP210	213.00	16C5410
BP225	226.00	16C5760
BP228	229.00	16C5817
BP240	241.00	16C6140
BP255	256.00	16C6520
BP270	271.00	16C6910

No pièce Dayco	Circonférence externe	Numéro métrique
BP285	286.00	16C7290
BP292	293.00	16C7420
BP300	301.00	16C7670
BP315	316.00	16C8040
BP330	331.00	16C8385
BP360	361.00	16C9180
CP46	50.00	22C1270
CP48	52.00	22C1320
CP50	54.00	22C1372
CP51	55.00	22C1400
CP53	57.00	22C1448
CP54	58.00	22C1474
CP55	59.00	22C1500
CP56	60.00	22C1524
CP57	61.00	22C1550
CP59	63.00	22C1600
CP60	64.00	22C1625
CP61	65.00	22C1651
CP62	66.00	22C1677
CP64	68.00	22C1728
CP65	69.00	22C1753
CP66	70.00	22C1778
CP67	71.00	22C1804
CP68	72.00	22C1830
CP69	73.00	22C1855
CP70	74.00	22C1880
CP71	75.00	22C1905
CP72	76.00	22C1935
CP73	77.00	22C1956
CP75	79.00	22C2007
CP76	80.00	22C2032
CP77	81.00	22C2057
CP78	82.00	22C2090
CP79	83.00	22C2108
CP80	84.00	22C2134
CP81	85.00	22C2160
CP83	87.00	22C2210
CP85	89.00	22C2260
CP86	90.00	22C2286

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
CP87	91.00	22C2312
CP88	92.00	22C2337
CP90	94.00	22C2390
CP92	96.00	22C2439
CP93	97.00	22C2464
CP94	98.00	22C2490
CP95	99.00	22C2515
CP96	100.00	22C2540
CP97	101.00	22C2565
CP98	102.00	22C2591
CP99	103.00	22C2616
CP100	104.00	22C2650
CP101	105.00	22C2670
CP102	106.00	22C2693
CP103	107.00	22C2718
CP104	108.00	22C2750
CP105	109.00	22C2770
CP106	110.00	22C2795
CP107	111.00	22C2820
CP108	112.00	22C2845
CP109	113.00	22C2870
CP110	114.00	22C2895
CP111	115.00	22C2920
CP112	116.00	22C2950
CP114	118.00	22C3000
CP115	119.00	22C3025
CP116	120.00	22C3048
CP118	122.00	22C3100
CP120	124.00	22C3150
CP124	128.00	22C3250
CP128	132.00	22C3350
CP130	134.00	22C3405
CP132	136.00	22C3455
CP134	138.00	22C3505
CP136	140.00	22C3550
CP140	144.00	22C3660
CP142	146.00	22C3710
CP144	148.00	22C3760
CP148	152.00	22C3860

No pièce Dayco	Circonférence externe	Numéro métrique
CP150	154.00	22C3920
CP152	156.00	22C3965
CP153	157.00	22C3990
CP154	158.00	22C4015
CP155	159.00	22C4040
CP156	160.00	22C4065
CP158	162.00	22C4120
CP159	163.00	22C4140
CP162	166.00	22C4220
CP166	170.00	22C4320
CP168	172.00	22C4370
CP170	174.00	22C4420
CP172	176.00	22C4470
CP173	177.00	22C4495
CP177	181.00	22C4600
CP180	184.00	22C4675
CP185	189.00	22C4800
CP188	192.00	22C4875
CP190	194.00	22C4930
CP195	199.00	22C5060
CP200	204.00	22C5180
CP202	206.00	22C5230
CP204	208.00	22C5285
CP207	211.00	22C5360
CP208	212.00	22C5385
CP210	214.00	22C5440
CP220	222.00	22C5640
CP225	227.00	22C5770
CP228	230.00	22C5840
CP238	240.00	22C6095
CP240	242.00	22C6150
CP245	247.00	22C6274
CP246	248.00	22C6300
CP248	250.00	22C6350
CP255	257.00	22C6540
CP265	267.00	22C6782
CP270	272.00	22C6920

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES

No pièce Dayco	Circonférence externe	Numéro métrique
CP276	278.00	22C7062
CP285	287.00	22C7300
CP297	299.00	22C7595
CP300	302.00	22C7680
CP303	305.00	22C7747
CP314	316.00	22C8027
CP315	317.00	22C8060
CP330	332.00	22C8440
CP345	347.00	22C8820
CP360	362.00	22C9200
CP390	392.00	22C9960
CP420	422.00	2C10720
D120	125.00	32C3190
D128	133.00	32C3390
D136	141.00	32C3580
D144	149.00	32C3800
D158	163.00	32C4160
D162	167.00	32C4250
D171	176.00	32C4470
D173	178.00	32C4540
D180	185.00	32C4700
D195	200.00	32C5100
D210	215.00	32C5480
D225	228.00	32C5800
D240	243.00	32C6180
D255	258.00	32C6560
D270	273.00	32C6940
D285	288.00	32C7330
D300	303.00	32C7690
D315	318.00	32C8090
D330	333.00	32C8470
D345	348.00	32C8850
D355	358.00	32C9093
D360	363.00	32C9240
D390	393.00	32C9983
D420	423.00	32C10745
D450	453.00	32C11530
D480	483.00	32C12269
D540	543.00	32C13780

No pièce Dayco	Circonférence externe	Numéro métrique
D600	603.00	32C15310
EP180	187.00	38C4750
EP195	202.00	38C5131
EP210	217.00	38C5512
EP240	244.00	38C6198
EP270	274.00	38C6960
EP300	304.00	32C7722
EP310	314.00	38C7976
EP330	334.00	38C8484
EP390	394.00	38C10008
EP420	424.00	38C10770
EP441	445.00	38C11303
EP480	484.00	38C12294

COURROIES INDUSTRIELLES CLASSIQUES À BORDS NON FINIS

No pièce Dayco	Circonférence externe	Numéro métrique
AX21	23.00	13XC585
AX22	24.00	13XC610
AX23	25.00	13XC635
AX24	26.00	13XC665
AX25	27.00	13XC688
AX26	28.00	13XC710
AX27	29.00	13XC750
AX28	30.00	13XC765
AX29	31.00	13XC800
AX30	32.00	13XC815
AX31	33.00	13XC850
AX32	34.00	13XC865
AX33	35.00	13XC900
AX34	36.00	13XC915
AX35	37.00	13XC950
AX36	38.00	13XC965
AX37	39.00	13XC1000
AX38	40.00	13XC1020
AX39	41.00	13XC1045
AX40	42.00	13XC1075
AX41	43.00	13XC1095
AX42	44.00	13XC1120
AX43	45.00	13XC1150
AX44	46.00	13XC1170
AX45	47.00	13XC1195
AX46	48.00	13XC1230
AX47	49.00	13XC1245
AX48	50.00	13XC1270
AX49	51.00	13XC1300
AX50	52.00	13XC1325
AX51	53.00	13XC1350
AX52	54.00	13XC1375
AX53	55.00	13XC1400
AX54	56.00	13XC1425
AX55	57.00	13XC1450
AX56	58.00	13XC1475
AX57	59.00	13XC1500
AX58	60.00	13XC1525
AX59	61.00	13XC1550

No pièce Dayco	Circonférence externe	Numéro métrique
AX60	62.00	13XC1585
AX61	63.00	13XC1610
AX62	64.00	13XC1630
AX63	65.00	13XC1655
AX64	66.00	13XC1680
AX65	67.00	13XC1710
AX66	68.00	13XC1730
AX67	69.00	13XC1760
AX68	70.00	13XC1790
AX69	71.00	13XC1810
AX70	72.00	13XC1830
AX71	73.00	13XC1865
AX72	74.00	13XC1890
AX73	75.00	13XC1905
AX74	76.00	13XC1935
AX75	77.00	13XC1965
AX76	78.00	13XC1985
AX77	79.00	13XC2010
AX78	80.00	13XC2030
AX79	81.00	13XC2060
AX80	82.00	13XC2080
AX81	83.00	13XC2120
AX82	84.00	13XC2140
AX83	85.00	13XC2160
AX84	86.00	13XC2190
AX85	87.00	13XC2220
AX86	88.00	13XC2240
AX87	89.00	13XC2260
AX88	90.00	13XC2290
AX89	91.00	13XC2310
AX90	92.00	13XC2350
AX91	93.00	13XC2360
AX92	94.00	13XC2390
AX93	95.00	13XC2420
AX94	96.00	13XC2440
AX95	97.00	13XC2470
AX96	98.00	13XC2500

COURROIES INDUSTRIELLES CLASSIQUES À BORDS NON FINIS

No pièce Dayco	Circonférence externe	Numéro métrique
AX97	99.00	13XC2520
AX98	100.00	13XC2540
AX105	107.00	13XC2720
AX108	110.00	13XC2796
AX110	112.00	13XC2874
AX112	114.00	13XC2898
AX120	122.00	13XC3099
AX128	130.00	13XC3302
AX136	138.00	13XC3505
BX28	31.00	16XC785
BX30	33.00	16XC835
BX31	34.00	16XC860
BX32	35.00	16XC885
BX33	36.00	16XC912
BX34	37.00	16XC935
BX35	38.00	16XC960
BX36	39.00	16XC990
BX37	40.00	16XC1013
BX38	41.00	16XC1040
BX39	42.00	16XC1064
BX40	43.00	16XC1090
BX41	44.00	16XC1120
BX42	45.00	16XC1140
BX43	46.00	16XC1165
BX44	47.00	16XC1190
BX45	48.00	16XC1215
BX46	49.00	16XC1250
BX47	50.00	16XC1265
BX48	51.00	16XC1295
BX49	52.00	16XC1320
BX50	53.00	16XC1345
BX51	54.00	16XC1370
BX52	55.00	16XC1400
BX53	56.00	16XC1420
BX54	57.00	16XC1445
BX55	58.00	16XC1470
BX56	59.00	16XC1500
BX57	60.00	16XC1520
BX58	61.00	16XC1545

No pièce Dayco	Circonférence externe	Numéro métrique
BX59	62.00	16XC1570
BX60	63.00	16XC1600
BX61	64.00	16XC1625
BX62	65.00	16XC1650
BX63	66.00	16XC1675
BX64	67.00	16XC1700
BX65	68.00	16XC1725
BX66	69.00	16XC1750
BX67	70.00	16XC1775
BX68	71.00	16XC1800
BX69	72.00	16XC1825
BX70	73.00	16XC1850
BX71	74.00	16XC1875
BX72	75.00	16XC1900
BX73	76.00	16XC1930
BX74	77.00	16XC1955
BX75	78.00	16XC1980
BX76	79.00	16XC2000
BX77	80.00	16XC2030
BX78	81.00	16XC2050
BX79	82.00	16XC2080
BX80	83.00	16XC2110
BX81	84.00	16XC2130
BX82	85.00	16XC2160
BX83	86.00	16XC2180
BX84	87.00	16XC2210
BX85	88.00	16XC2240
BX86	89.00	16XC2260
BX87	90.00	16XC2280
BX88	91.00	16XC2310
BX89	92.00	16XC2330
BX90	93.00	16XC2360
BX91	94.00	16XC2390
BX92	95.00	16XC2410
BX93	96.00	16XC2440
BX94	97.00	16XC2460
BX95	98.00	16XC2500
BX96	99.00	16XC2510
BX97	100.00	16XC2540

COURROIES INDUSTRIELLES CLASSIQUES À BORDS NON FINIS

No pièce Dayco	Circonférence externe	Numéro métrique
BX98	101.00	16XC2560
BX99	102.00	16XC2590
BX100	103.00	16XC2620
BX103	106.00	16XC2690
BX105	108.00	16XC2740
BX106	109.00	16XC2770
BX108	111.00	16XC2820
BX112	115.00	16XC2920
BX113	116.00	16XC2940
BX115	118.00	16XC2990
BX116	119.00	16XC3020
BX120	123.00	16XC3125
BX123	126.00	16XC3201
BX124	127.00	16XC3226
BX126	129.00	16XC3277
BX128	131.00	16XC3328
BX133	136.00	16XC3455
BX136	139.00	16XC3531
BX140	143.00	16XC3633
BX144	147.00	16XC3734
BX148	151.00	16XC3836
BX150	153.00	16XC3887
BX154	157.00	16XC3987
BX158	161.00	16XC4090
BX162	165.00	16XC4191
BX173	176.00	16XC4471
BX180	183.00	16XC4649
BX191	194.00	16XC4928
BX195	198.00	16XC5030
CX51	55.00	22XC1400
CX55	59.00	22XC1500
CX60	64.00	22XC1630
CX68	72.00	22XC1830
CX72	76.00	22XC1935
CX75	79.00	22XC2000
CX78	82.00	22XC2090
CX81	85.00	22XC2160
CX85	89.00	22XC2260
CX90	94.00	22XC2390

No pièce Dayco	Circonférence externe	Numéro métrique
CX96	100.00	22XC2540
CX100	104.00	22XC2667
CX105	109.00	22XC2769
CX109	113.00	22XC2871
CX112	116.00	22XC2947
CX115	119.00	22XC3023
CX120	124.00	22XC3150
CX123	127.00	22XC3226
CX128	132.00	22XC3353
CX133	137.00	22XC3480
CX136	140.00	22XC3556
CX144	148.00	22XC3760
CX150	154.00	22XC3912
CX158	162.00	22XC4115
CX162	166.00	22XC4217
CX173	177.00	22XC4496
CX180	184.00	22XC4674
CX190	194.00	22XC4928
CX195	199.00	22XC5055

COURROIES INDUSTRIELLES HEXAGONALES

No pièce Dayco	Circonférence externe	Numéro métrique
AA49	51.00	13D1295
AA51	53.00	13D1350
AA55	57.00	13D1450
AA58	60.00	13D1525
AA60	62.00	13D1585
AA68	70.00	13D1790
AA75	77.00	13D1965
AA80	82.00	13D2080
AA90	92.00	13D2350
AA96	98.00	13D2490
AA105	107.00	13D2730
AA128	130.00	13D3310
BB50	53.00	16D2240
BB51	54.00	16D2360
BB55	58.00	16D2460
BB60	63.00	16D2515
BB62	65.00	16D2540
BB68	71.00	16D1220
BB71	74.00	16D1345
BB75	78.00	16D1400
BB81	84.00	16D1470
BB85	88.00	16D1600
BB90	93.00	16D1650
BB92	95.00	16D1800
BB93	96.00	16D1800
BB94	97.00	16D1955
BB97	100.00	16D2000
BB103	106.00	16D2690
BB105	108.00	16D2740
BB107	110.00	16D2790
BB111	114.00	16D2890
BB112	115.00	16D2920
BB116	119.00	16D3020
BB118	121.00	16D3070
BB120	123.00	16D3130
BB124	127.00	16D3220
BB130	133.00	16D3380
BB133	136.00	16D3455
BB136	139.00	16D3530

No pièce Dayco	Circonférence externe	Numéro métrique
BB140	143.00	16D3600
BB144	147.00	16D3740
BB155	158.00	16D4010
BB158	161.00	16D4090
BB173	176.00	16D4480
BB180	183.00	16D4650
BB182	185.00	16D4700
BB190	193.00	16D4900
BB195	198.00	16D5040
BB210	213.00	16D5410
BB240	241.00	16D6140
BB255	256.00	16D6480
BB300	301.00	16D7670
CC75	79.00	22D2770
CC85	89.00	22D3125
CC90	94.00	22D3150
CC96	100.00	22D3350
CC112	116.00	22D3660
CC120	124.00	22D3860
CC144	148.00	22D4500
CC158	162.00	22D5440
CC162	166.00	22D5760
CC173	177.00	22D6150
CC180	184.00	22D6920
CC240	242.00	22D9960
CC270	272.00	2D10720
CC300	302.00	22D1980
CC420	422.00	22D2540

COURROIES INDUSTRIELLES TRAPÉZOÏDALES CRANTÉES

No pièce Dayco	Circonférence externe	Numéro métrique
3VX280	28.00	9XN710
3VX290	29.00	9XN736
3VX300	30.00	9XN760
3VX315	31.00	9XN800
3VX335	33.00	9XN850
3VX350	35.00	9XN890
3VX355	35.00	9XN900
3VX375	37.00	9XN950
3VX390	39.00	9XN990
3VX400	40.00	9XN1015
3VX415	41.00	9XN1055
3VX425	42.00	9XN1080
3VX450	45.00	9XN1145
3VX475	47.00	9XN1205
3VX500	50.00	9XN1270
3VX520	52.00	9XN1320
3VX530	53.00	9XN1345
3VX550	55.00	9XN1397
3VX560	56.00	9XN1420
3VX600	60.00	9XN1525
3VX630	63.00	9XN1600
3VX670	67.00	9XN1700
3VX710	71.00	9XN1800
3VX750	75.00	9XN1900
3VX800	80.00	9XN2030
3VX850	85.00	9XN2160
3VX900	90.00	9XN2290
3VX950	95.00	9XN2410
3VX1000	100.00	9XN2540
3VX1060	106.00	9XN2690
3VX1120	112.00	9XN2840
3VX1180	118.00	9XN3000
3VX1250	125.00	9XN3180
3VX1320	132.00	9XN3350
3VX1400	140.00	9XN3550
5VX450	45.00	15XN1145
5VX470	47.00	15XN1190
5VX490	49.00	15XN1245
5VX500	50.00	15XN1270

No pièce Dayco	Circonférence externe	Numéro métrique
5VX510	51.00	15XN1295
5VX530	53.00	15XN1345
5VX540	54.00	15XN1372
5VX550	55.00	15XN1397
5VX560	56.00	15XN1420
5VX570	57.00	15XN1448
5VX580	58.00	15XN1473
5VX590	59.00	15XN1500
5VX600	60.00	15XN1525
5VX610	61.00	15XN1549
5VX630	63.00	15XN1600
5VX650	65.00	15XN1651
5VX660	66.00	15XN1675
5VX670	67.00	15XN1700
5VX680	68.00	15XN1727
5VX690	69.00	15XN1753
5VX710	71.00	15XN1800
5VX730	73.00	15XN1855
5VX740	74.00	15XN1880
5VX750	75.00	15XN1905
5VX780	78.00	15XN1980
5VX800	80.00	15XN2030
5VX810	81.00	15XN2057
5VX830	83.00	15XN2110
5VX840	84.00	15XN2134
5VX850	85.00	15XN2160
5VX860	86.00	15XN2184
5VX880	88.00	15XN2235
5VX900	90.00	15XN2290
5VX930	93.00	15XN2360
5VX950	95.00	15XN2410
5VX960	96.00	15XN2438
5VX1000	100.00	15XN2540
5VX1030	103.00	15XN2615
5VX1060	106.00	15XN2690
5VX1080	108.00	15XN2743
5VX1120	112.00	15XN2840

COURROIES INDUSTRIELLES TRAPÉZOÏDALES CRANTÉES

No pièce Dayco	Circonférence externe	Numéro métrique
5VX1150	115.00	15XN2920
5VX1180	118.00	15XN3000
5VX1230	123.00	15XN3125
5VX1250	125.00	15XN3180
5VX1320	132.00	15XN3350
5VX1400	140.00	15XN3550
5VX1500	150.00	15XN3810
5VX1600	160.00	15XN4060
5VX1700	170.00	15XN4320
5VX1800	180.00	15XN4570
5VX1900	190.00	15XN4830
5VX2000	200.00	15XN5080

COURROIES INDUSTRIELLES TRAPÉZOÏDALES

No pièce Dayco	Circonférence externe	Numéro métrique
3V250	25.00	9N630
3V265	26.00	9N670
3V280	28.00	9N710
3V300	30.00	9N760
3V315	31.00	9N800
3V335	33.00	9N850
3V355	35.00	9N900
3V375	37.00	9N950
3V400	40.00	9N1015
3V425	42.00	9N1080
3V450	45.00	9N1145
3V475	47.00	9N1205
3V500	50.00	9N1270
3V530	53.00	9N1345
3V560	56.00	9N1420
3V600	60.00	9N1525
3V630	63.00	9N1600
3V670	67.00	9N1700
3V710	71.00	9N1800
3V730	73.00	9N1854
3V750	75.00	9N1900
3V800	80.00	9N2030

No pièce Dayco	Circonférence externe	Numéro métrique
3V830	83.00	9N2108
3V850	85.00	9N2160
3V900	90.00	9N2290
3V950	95.00	9N2410
3V1000	100.00	9N2540
3V1060	106.00	9N2690
3V1120	112.00	9N2840
3V1180	118.00	9N3000
3V1250	125.00	9N3180
3V1400	140.00	9N3550
5V500	50.00	15N1270
5V530	53.00	15N1345
5V560	56.00	15N1420
5V600	60.00	15N1525
5V670	67.00	15N1700
5V710	71.00	15N1800
5V750	75.00	15N1905
5V800	80.00	15N2030
5V850	85.00	15N2160
5V900	90.00	15N2290
5V950	95.00	15N2410
5V1000	100.00	15N2540

COURROIES INDUSTRIELLES TRAPÉZOÏDALES

No pièce Dayco	Circonférence externe	Numéro métrique
5V1060	106.00	15N2690
5V1120	112.00	15N2840
5V1180	118.00	15N3000
5V1250	125.00	15N3180
5V1320	132.00	15N3350
5V1400	140.00	15N3550
5V1500	150.00	15N3810
5V1600	160.00	15N4060
5V1630	163.00	15N4140
5V1700	170.00	15N4320
5V1800	180.00	15N4570
5V1900	190.00	15N4830
5V2000	200.00	15N5080
5V2120	212.00	15N5385
5V2240	224.00	15N5690
5V2360	236.00	15N5994
5V2500	250.00	15N6350
5V2650	265.00	15N6731
5V2800	280.00	15N7112
8V1000	100.00	25N2540
8V1120	112.00	25N2845
8V1180	118.00	25N2997
8V1250	125.00	25N3175
8V1320	132.00	25N3353
8V1400	140.00	25N3556
8V1500	150.00	25N3810
8V1600	160.00	25N4064
8V1700	170.00	25N4318
8V1800	180.00	25N4572
8V1900	190.00	25N4826
8V2000	200.00	25N5080
8V2800	280.00	25N7112
8V3000	300.00	25N7620
8V3150	315.00	25N8001

COURROIES INDUSTRIELLES TRAPÉZOÏDALES BI-MATIÈRE

No pièce Day-co*	Circonférence externe	Numéro métrique
R3V670-#	68.10	9N1730J
R3V850-#	86.10	9N2187J
R5V630-#	64.10	15N1628J
R5V800-#	81.10	15N2060J
R5V850-#	86.10	15N2187J
R5V950-#	96.10	15N2441J
R5V975-#	98.10	15N2492J
R5V1000-#	101.10	15N2568J
R5V1060-#	107.10	15N2720J
R5V1120-#	113.10	15N2873J
R5V1500-#	151.10	15N3838J
R5V1700-#	171.10	15N4346J
R8V3000-#	301.50	25N7658J

* # replaced with belt rib count

COURROIES INDUSTRIELLES ENVELOPPÉES CLASSIQUES BI-MATIÈRE

No pièce Day-co*	Circonférence externe	Numéro métrique
RB48-#	52.00	16C1321J
RB51-#	55.00	16C1397J
RB58-#	62.00	16C1575J
RB60-#	64.00	16C1626J
RB64-#	68.00	16C1727J
RB65-#	69.00	16C1753J
RB67-#	71.00	16C1803J
RB68-#	72.00	16C1829J
RB70-#	74.00	16C1880J
RB71-#	75.00	16C1905J
RB72-#	76.00	16C1930J
RB75-#	79.00	16C2007J
RB78-#	82.00	16C2083J
RB79-#	83.00	16C2108J
RB80-#	84.00	16C2134J
RB81-#	85.00	16C2159J
RB82-#	86.00	16C2184J
RB83-#	87.00	16C2210J

No pièce Day-co*	Circonférence externe	Numéro métrique
RB85-#	89.00	16C2261J
RB90-#	94.00	16C2388J
RB93-#	97.00	16C2464J
RB95-#	99.00	16C2515J
RB96-#	100.00	16C2540J
RB99-#	103.00	16C2616J
RB100-#	104.00	16C2642J
RB101-#	105.00	16C2667J
RB105-#	109.00	16C2769J
RB112-#	116.00	16C2946J
RB124-#	128.00	16C3251J
RB133-#	137.00	16C3480J
RB136-#	140.00	16C3556J
RB158-#	162.00	16C4115J

* # replaced with belt rib count

COURROIES INDUSTRIELLES TRAPÉZOÏDALES CRANTÉES BI-MATIÈRE

No pièce Dayco*	Circonférence externe	Numéro métrique
R3VX315-#	32.60	9XN828J
R3VX375-#	38.60	9XN980J
R3VX400-#	41.10	9XN1044J
R3VX425-#	43.60	9XN1107J
R3VX450-#	46.10	9XN1171J
R3VX475-#	48.60	9XN1234J
R3VX500-#	51.10	9XN1298J
R3VX530-#	54.10	9XN1374J
R3VX560-#	57.10	9XN1450J
R3VX600-#	61.10	9XN1552J
R3VX670-#	68.10	9XN1730J
R3VX710-#	72.10	9XN1831J
R5VX560-#	57.10	15XN1450J
R5VX630-#	64.10	15XN1628J
R5VX750-#	76.10	15XN1933J
R5VX800-#	81.10	15XN2060J
R5VX830-#	84.10	15XN2136J
R5VX850-#	86.10	15XN2187J
R5VX900-#	91.10	15XN2314J
R5VX950-#	96.10	15XN2441J
R5VX1000-#	101.10	15XN2568J

* # replaced with belt rib count

COURROIE DE DISTRIBUTION SYNCHRONES CRANTÉE

No pièce Dayco	Longueur de pas	Pas	Largeur de courroie
225L100	22.50	3/8"	1"



MOVE FORWARD. ALWAYS.™